

## ZS Compact Series 2/2-way Direct Acting Solenoid Valve



**P3-5**

Body Material: Forged Brass, Stainless Steel  
Orifice:  $\Phi$ 2.5mm~10mm

Pipe Size: 1/8"~1/2"  
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

## ZS Brass Series 2/2-way Zero Press Differential Solenoid Valve · normally Closed



**P6-7**

Body Material: Forged Brass, Cast Brass  
Pnt Connection: 3/8"~2" Orifice:  $\Phi$ 16mm~50mm  
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

## ZS Stainless Steel Series 2/2-way Zero Press. Differential Solenoid Valve · Normally Closed



**P8-9**

Body Material: Stainless Steel Orifice:  $\Phi$ 16mm~50mm  
Pnt Connection: 3/8"~2" Flange Connection: Dn25~50  
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

## ZS Brass Series 2/2-way Zero Press. Differential Solenoid Valve Normally Open



**P10-11**

Body Material: Forged Brass, Cast Brass  
Pnt Connection: 1/8"~2" Orifice:  $\Phi$ 2.5mm~50mm  
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

## ZS Stainless Steel Series 2/2-way Zero Press. Differential Solenoid Valve Normally Open



**P12-14**

Body Material: Stainless Steel  
Pnt Connection: 1/8"~2" Orifice:  $\Phi$ 2.5mm~50mm  
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

## SLP Series 2/2-way Pilot Operated Valve Solenoid



**P15-17**

Body Material: Forged Brass, Stainless Steel  
Orifice:  $\Phi$ 3mm~6mm

Pipe Size: 1/8"~1/2"  
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

**SLP Compact Series • 2/2-way Direct Acting Solenoid Valve • normally Open**



**P18-19**

Body Material: Forged Brass, Stainless Steel      Pressure: 0~30kgf/cm<sup>2</sup>      Pipe Size: 1/8"~1/4"  
 Orifice:  $\Phi$ 1mm~4mm      Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

**SLP Small Series • 2/2-way Pilot Operated Brass Solenoid Valve • normally Closed**



**P20**

Body Material: Forged Brass  
 Pnt Connection: 1/4", 3/8", 1/2"      Orifice:  $\Phi$ 10.5mm  
 Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

**SLP Brass Series • 2/2-way Pilot Operated Solenoid Valve • normally Closed**



**P21-22**

Body Material: Forged Brass  
 Pnt Connection: 3/8"~2"      Orifice:  $\Phi$ 13mm~50mm  
 Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

**SLP Stainless Steel Series • 2/2way Pilot Operated Solenoid Valve • normally Closed**



**P23-25**

Body Material: 316 Stainless Steel      Orifice:  $\Phi$ 13mm~50mm  
 Pnt Connection: 3/8"~2"      Flange Connection: Dn25~50  
 Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

**SLP Brass Series • 2/2-way Pilot Operated Solenoid Valve • normally Open**



**P26-27**

Body Material: Forged Brass  
 Pnt Connection: 3/8"~2"      Orifice:  $\Phi$ 13mm~50mm  
 Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

**SLP Stainless Steel Series • 2/2way Pilot Operated Solenoid Valve • normally Open**



**P28-29**

Body Material: 316 Stainless Steel      Orifice:  $\Phi$ 13mm~50mm  
 Pnt Connection: 3/8"~2"      Flange Connection: Dn25~50  
 Fluid Media: Water, Hot Water, Air, Oil Etc.

**SLP Series 2/2-way Pilot Operated Solenoid Valve**



**P30-33**

Body Material: Forged Brass  
 Pnt Connection: 1/8"~1 1/2"      Orifice:  $\Phi$ 2.5mm~40mm  
 Fluid Media: Steam, Water, Hot Water, Air, Oil Etc.

**SLA Stainless Steel Series • 2/2-way Piston Solenoid Valve • normally Closed**



**P34-35**

Body Material: 304 Stainless Steel      Orifice:  $\Phi$ 15mm~50mm  
 Pnt Connection: 3/8"~2"      Flange Connection: Dn25~50  
 Fluid Media: Steam, Water, Hot Water, Air, Oil Etc.

**SLA Brass Series • 2/2-way Piston Solenoid Valve • normally Open**



**P36-37**

Body Material: Forged Brass  
 Pnt Connection: 3/8"~1 1/2"      Orifice:  $\Phi$ 15mm~40mm  
 Fluid Media: Steam, Water, Hot Water, Air, Oil Etc.

**SLA Stainless Steel Series · 2/2-way  
Piston Solenoid Valve · normally Open**



**P38-39**

Body Material: 304 Stainless Steel Orifice:  $\Phi$  15mm~50mm  
Pnt Connection: 3/8"~2" Flange Connection: Dn25~50  
Fluid Media: Steam, Water, Hot Water, Air, Oil Etc.

**ZCT Series 2/2-way Solenoid  
Valve · normally Closed**



**P40-42**

Body Material: Stainless Steel Plexiglas  
Pnt Connection: 1/8"~1" Orifice:  $\Phi$  3mm~15mm  
Fluid Media: Steam, Water, Hot Water, Air, Oil Etc.

**SLE Manifold Type Series · 2/2-way  
Direct Acting Solenoid Valve**



**P43-46**

Body Material: Brass, aluminium  
Pnt Connection: 1/8"~1/2" Orifice:  $\Phi$  2mm~9mm  
Fluid Media: Water, Hot Water, Air, Gas, Oil Etc.

**SLG High Pressure Series · 2/2-way  
Solenoid Valve · normally Closed**



**P47-49**

Body Material: Forged Brass Stainless Steel Pressure: 0~100kgf/cm<sup>2</sup>  
Pnt Connection: 1/8"~1" Orifice:  $\Phi$  1mm~25mm  
Fluid Media: Water, Hot Water, Air, Gas, Light Oil Etc.

**SLV Series 3/2-way Direct Acting  
Solenoid Valve**



**P50-56**

Body Material: Forged Brass Stainless Steel  
Pnt Connection: 1/8"~1/4" Orifice:  $\Phi$  1.2mm~3mm  
Fluid Media: Water, Hot Water, Air, Gas, Light Oil Etc.

**SLC Series Home Use Water  
Drink Machine Solenoid Valve**



**P57-58**

Body Material: Plastic Fluid Media: Water, Boiling Water  
Pnt Connection: 1/8"~1/4" Solenoid Valve (Outlet): Tube Insert Type Connection  
Orifice:  $\Phi$  2.5mm~3mm Orifice:  $\Phi$  8mm~9mm

**2W Brass Series 2-way Direct Acting  
Solenoid Valve Normally Closed**



**P59-60**

Body Material: Forged Brass, Cast Brass  
Pnt Connection: 1/8"~2" Orifice:  $\Phi$  2.5mm~50mm  
Fluid Media: Water, Hot Water, Air, Gas, Light Oil Etc.

**2W Stainless Steel Series 2-way Direct  
Acting Solenoid Valve Normally Closed**



**P61**

Body Material: 304 Stainless Steel Orifice:  $\Phi$  2.5mm~50mm  
Pnt Connection: 1/8"~2" Flange Connection: Dn25~50  
Fluid Media: Water, Hot Water, Air, Gas, Light Oil Etc.

**2W Brass Series 2-way Direct Acting  
Solenoid Valve Normally Open**



**P62**

Body Material: Forged Brass, Cast Brass  
Pnt Connection: 1/8"~2" Orifice:  $\Phi$  2.5mm~50mm  
Fluid Media: Water, Hot Water, Air, Gas, Light Oil Etc.

**2W Stainless Steel Series 2-way Direct  
Acting Solenoid Valve Normally Open**



**P63**

Body Material: Stainless Steel Orifice:  $\Phi$  2.5mm~50mm  
Pnt Connection: 1/8"~2" Flange Connection: Dn25~50  
Fluid Media: Water, Hot Water, Air, Gas, Light Oil Etc.

**SLDF Series <under Water> Special Purpose Solenoid Valve**



**P64**

Body Material: Forged Brass, Cast Iron Orifice:  $\Phi$  15mm~50mm  
Pnt Connection: 1/2"~2" Flange Connection : Dn65~150  
Fluid Media: Water, Fluids

**SLPM Series Magnetic Pulse Solenoid Valve**



**P67**

Body Material: Forged Brass Orifice:  $\Phi$  13mm~50mm  
Pnt Connection: 3/8" ~2"  
Fluid Media: Water, Air Etc.

**ZCM Series 2/2-way Zero Pressure Differential Gas Solenoid Valve**



**P65-66**

Body Material: Forged Brass, Cast Iron Orifice:  $\Phi$  3mm~100mm  
Pnt Connection: 1/8"~2" Flange Connection : Dn40~100  
Fluid Media: Coal Gas, Natural Gas, Other Normally Gas Etc.